



F.NO.24/BMW/2026

Date: 21/01/2026

To,

The Regional office,
U.P. Pollution Control Board,
12/1, Block E, sector 1, Noida U.P. 201301

SUBJECT: SUBMISSION OF BIOMEDICAL WASTE REPORT FOR
THE MONTH OF JAN TO DEC 2025

Dear Sir/Madam,

1. In compliance with the Biomedical Waste Management Rules 2016, we hereby submit the biomedical waste management annual report for the month of January to December 2025.
2. We ensure that all biomedical waste generated in our facility are managed in accordance with the guidelines prescribed by the Pollution Control Board. We are committed in maintaining the highest standards of environmental and public health safety.
3. Kindly acknowledge receipt.



Regards,

Hospital Infection Control Team
Yatharth hospital, sector 110, Noida , U.P 201304


Dr. (COL) D K GUPTA
MBBS, (AFMC), MBA (Healthcare Services)
MEDICAL SUPERINTENDENT
Yatharth Wellness Super-Speciality Hospital
& Heart Centre, Sec.-110, Noida

Enclosure:
21-01-2026 दोग्रीय कार्यालय
उ. प. प्रदूषण नियन्त्रण बोर्ड
ई-12/1, सेक्टर-1, नोएडा

1. Cover letter BMW
2. 4a annual report form provided by UP Pollution Control Board
3. Bio-medical waste weight sheet

A Unit of Yatharth Hospital & Trauma Care Services Ltd.

YATHARTH WELLNESS SUPER SPECIALITY HOSPITAL AND HEART CENTRE

NH-01, Sector-110, Noida, Gautam Buddha Nagar, Uttar Pradesh-201304, India
admin@yatharthhospitals.com www.yatharthhospitals.com



Helpline Numbers
0120-2460000, 09582833333

BIOMEDICAL WASTE ANNUAL REPORT FROM -2025

		CYTOTOXIC	YELLOW	RED	BLUE	SHARP	NO OF BAG	TOTAL WEIGHT	REMARKS
S. NO	MONTH	BAG	WEIGHT	BAG	WEIGHT	BAG	WEIGHT	TOTAL BAG	TOTAL WEIGHT
1	Jan-25	25	59.35	68	1267.2	66	1298.35	28	437.76
2	Feb-25	17	56.19	54	970.09	51	846.27	31	427.79
3	Mar-25	25	123.766	58	979.29	49	754.71	45	537.56
4	Apr-25	25	83.01	51	796.39	53	675.56	31	344.027
5	May-25	24	89.61	56	798.475	59	796.15	33	381.4
6	Jun-25	27	109.22	84	1201.29	87	1143.288	33	513.76
7	Jul-25	25	88.71	86	1642.28	73	1317.03	36	493.18
8	AUG-25	9	46.01	113	1548.12	110	1357.09	40	390.9
9	Sep-25	35	97.7	119	1312.3	124	948.35	64	510.51
10	Oct-25	38	131.28	102	1141.89	99	768.311	59	569.95
11	Nov-25	37	139.08	89	1284.01	80	871.59	52	514.36
12	Dec-25	31	134.18	106	1429.91	94	989.49	61	636.11
GRAND TOTAL-		318	1158.106	986	14371.245	945	11766.189	513	5757.307

S. Salin
21/1/2026

महाराष्ट्र विधान सभा
मंडळ 12/1, चैम्बर्स-1, पुणे

Form - IV
(See rule 13)

ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF)]

Sl. No	Particulars		
1.	Particulars of the Occupier (i) Name of the authorised person (occupier or operator of facility)	:	Dr. (Col). Deepak Gupta Medical Superintendent
	(ii) Name of Health Care Facility	:	YATHARTH WELLNESS SUPER SPECIALITY HOSPITAL AND HEART CENTRE
	(iii) Address for Correspondence	:	SECTOR-110, NOIDA
	(iv) Address of Facility	:	U.P. - 201304
	(v) Tel. No, Fax. No	:	0120 - 2460000
	(vi) E-mail ID	:	WWW.YATHARTH HOSPITALS.COM
	(vii) URL of Website	:	
	(viii) GPS coordinates of Health Care Facility	:	
	(ix) Ownership of Health Care Facility	:	(State Government or Private or Semi Govt. or any other) PRIVATE
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: 25280857 13/05/2024 valid up to 31/07/2029
	(xi). Status of Consents under Water Act and Air Act	:	Valid up to: 31/07/2024
2	Type of Health Care Facility	:	MULTI SUPER SPECIALITY HOSPITAL
	(i) Bedded Hospital	:	No. of Beds: 300
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any	:	50

	other)																																		
	(iii) License number and its date of expiry																																		
3	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category : 14371.245 Kg																																
			Red Category : 11766.189 Kg																																
			White: 943.470 Kg																																
			Blue Category : 5757.307 Kg																																
			General Solid waste:																																
4	Details of the Storage, treatment, transportation, processing and Disposal Facility																																		
	(i) Details of the on-site storage facility		ENVIRON CONNECTION WASTE CONNECTION LLP																																
			Size :																																
			Capacity : 20 METRIC TONE																																
			Provision of on-site storage : (cold storage or any other provision)																																
	(ii) disposal facilities		<table border="1"> <thead> <tr> <th>Type of treatment equipment</th> <th>No of units</th> <th>Capacity Kg/day</th> <th>Quantity treated or disposed in kg per annum</th> </tr> </thead> <tbody> <tr> <td>Incinerators</td> <td></td> <td>300 Kg</td> <td></td> </tr> <tr> <td>Plasma Pyrolysis</td> <td></td> <td>NA</td> <td></td> </tr> <tr> <td>Autoclaves</td> <td></td> <td>250 Kg</td> <td></td> </tr> <tr> <td>Microwave</td> <td></td> <td>NA</td> <td></td> </tr> <tr> <td>Hydroclave</td> <td></td> <td>NA</td> <td></td> </tr> <tr> <td>Shredder</td> <td></td> <td>250 Kg</td> <td></td> </tr> <tr> <td>Needle tip cutter or destroyer</td> <td></td> <td>1</td> <td></td> </tr> </tbody> </table>	Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum	Incinerators		300 Kg		Plasma Pyrolysis		NA		Autoclaves		250 Kg		Microwave		NA		Hydroclave		NA		Shredder		250 Kg		Needle tip cutter or destroyer		1	
Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum																																
Incinerators		300 Kg																																	
Plasma Pyrolysis		NA																																	
Autoclaves		250 Kg																																	
Microwave		NA																																	
Hydroclave		NA																																	
Shredder		250 Kg																																	
Needle tip cutter or destroyer		1																																	

		Sharps Encapsulation or concrete pit		1	
		Deep burial pits		NA	
		Chemical disinfection		ETP 1000 kg	
		Any other treatment equipment			
	(iii) Quantity of recyclable wastes sold to authorised recyclers after treatment in kg per annum.	Red Category (like plastic, glass etc.) - Autoclave - 1200 kg/day			
	(iv) No of vehicles used for collection and transportation of biomedical waste	16			
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	Incineration & Ash ETP Sludge	Quantity Generated	where Disposed	
		Bharat oil			
	(vii) List of member HCF not handed over bio-medical waste.	NA			
5	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	Yes			
6	Details trainings conducted on BMW	32			
	(i) Number of trainings conducted on BMW Management.	41 50			
	(ii) number of personnel trained	518 Health Care Workers.			
	(iii) number of personnel trained at the time of induction	38			
	(iv) number of personnel not undergone any training so far	0		क्षेत्रीय कार्यालय म. र. महाराष्ट्र विविधान सभा दृ 12/1, सेक्टर 1, नोंदवा	
	(v) whether standard manual for				

	training is available?		
	(vi) any other information)		
7	Details of the accident occurred during the year	<input type="radio"/>	
	(i) Number of Accidents occurred	<input type="radio"/>	
	(ii) Number of the persons affected	<input type="radio"/>	
	(iii) Remedial Action taken (Please attach details if any)	<input type="radio"/>	
	(iv) Any Fatality occurred, details.		No Any Fatality occurred.
8	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		None
	Details of Continuous online emission monitoring systems installed		yes, we have online monitoring System (BUTTERFLY SOFTWARE).
9	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		STP, ETP. None (Continuous monitoring)
10	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		Yes
11	Any other relevant information		(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from

Jan to Dec 2025

Institution

Date: 21/1/26
Place: Noida.

Name and Signature of the Head of the

Dr. (COL) D K GUPTA
MBBS, (AFMC), MBA (Healthcare Services)
MEDICAL SUPERINTENDENT
Yatharth Wellness Super-Speciality Hospital
& Heart Centre, Sec.-110, Noida

Sarita
21-01-2026
सरोवर नगरालय
ज. ए. यथर्थ वेलेनेस हॉटेल
रोड 12/1, सेक्टर-1, नोएडा